	Version:	1.0
<b>ProGuard</b> ® 3 inch Tablets	Revision Date:	02/20/2008
	Print Date:	09/17/2009
The recipient of this Safety Data Sheet is urged to study it carefully to become aware of haz interest of safety you should (1) notify your employees, agents and contractors of the inform your customers for the product, and (3) request your customers to inform their employees a	nation on this sheet,(2) fu	


## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	ProGuard ® 3 inch Tablets
Product Use Description:	Swimming Pool Product
Chemical nature:	Chlorinated Isocyanurates
EPA Registration Number:	5185-144
Company:	Bio-Lab, Inc. P.O. Box 300002 Lawrenceville, GA 30049-1002
Emergency telephone:	CHEMTREC (US Transportation) : (800) 424-9300 (703) 527-3887 Poison Control Center (Medical) : (877) 800-5553
Customer Service:	CANUTEC (Canadian Transportation): (613) 996-6666 (800) 859-7946
Prepared by:	Product Safety Department (US) +1 866-430-2775 (EU) +44 (0) 1753.603.000 Email: MSDSRequest@chemtura.com
SECTION 2. HAZARDS IDENTIFICATION	
Emergency Overview	
DANGER!	Form: tablet
	Colour: white
MSDS Number: PROG_4500273	1 of 10

			Version:	1.0
	Pro	Guard ® 3 inch Tablets	Revision Date:	02/20/2008
			Print Date:	09/17/2009
		Odour:	Chlorine	
orrosive		OSHA Hazards	:	
xidizer		THIS MATERIA	L IS HAZARDOU	
auses severe eye damage.			THE FEDERAL O	
auses skin burns. ay be fatal if absorbed through s armful or fatal if swallowed.	skin.		ION STANDARD	29CFR 1910.1200
ay be fatal if inhaled. auses respiratory tract irritation.				
oid breathing dust or vapor.				
o not get in eyes, on skin, or on	cloth	ning.		
Potential Health Effects				
Primary Routes of Entry		Eye contact		
Thindry Routes of Entry	•	Skin contact		
		Inhalation		
		Ingestion		
Aggravated Medical Condition	:	Respiratory disorders		
55		Skin disorders		
Inhalation		May be fatal if inhaled.		
	•	Causes respiratory tract irritation.		
Skin	:	May be fatal if absorbed through skin.		
		Causes skin burns.		
		On contact with moisture, this material result in burns if not promptly removed.	eadily hydrolyzes	to acid which may
Eyes	:	Causes severe eye damage.		
Ingestion	:	Harmful or fatal if swallowed.		
Chronic Exposure	:	None known.		
TION 3.COMPOSITION/INFOR	MAT	CION ON INGREDIENTS		
Hazardous components				
nponent		(	CAS-No.	Concentration
chloro-s-triazinetrione			87-90-1	> 99 %

		Version:	1.0
	ProGuard <sup>®</sup> 3 inch Tablets	Revision Date:	02/20/2008
		Print Date:	09/17/2009
ECTION 4. FIRST AID MEAS	<u>URES</u>		
Inhalation	: Remove to fresh air. If person is not breathing, call 911 or a respiration, preferably mouth-to-mouth Call a physician or poison control cen	n, if possible.	ive artificial
Skin contact	: Remove contaminated clothing and sl Rinse immediately with plenty of wate Call a physician or poison control cen	r for at least 15 minute	es.
Eye contact	<ul> <li>Rinse immediately with plenty of wate minutes.</li> <li>Remove contact lenses, if present, aff Call a physician or poison control cent</li> </ul>	er 5 minutes, then co	
Ingestion	<ul> <li>Call a physician or poison control centrate person sip a glass of water if ab DO NOT induce vomiting unless direct control center.</li> <li>Do not give anything by mouth to a control center.</li> </ul>	le to swallow. ted to do so by a phys	
Notes to physician			
Trootmont			
Treatment	: Probable mucosal damage may contr	aindicate the use of g	astric lavage.
ECTION 5. FIRE-FIGHTING N		aindicate the use of g	astric lavage.
ECTION 5. FIRE-FIGHTING N Flammable properties Flash point	<u>IEASURES</u>	aindicate the use of g	astric lavage.
ECTION 5. FIRE-FIGHTING M Flammable properties Flash point Protective equipment and	IEASURES : not applicable	aindicate the use of g	astric lavage.
ECTION 5. FIRE-FIGHTING N Flammable properties Flash point	MEASURES : not applicable d precautions for firefighters	aindicate the use of g	astric lavage.
ECTION 5. FIRE-FIGHTING N Flammable properties Flash point Protective equipment and Suitable extinguishing media Unsuitable extinguishing media Hazardous decomposition	MEASURES         : not applicable         d precautions for firefighters         : Flood with large volumes of water.         : ABC powder         Dry powder		astric lavage.
ECTION 5. FIRE-FIGHTING M Flammable properties Flash point Protective equipment and Suitable extinguishing media Unsuitable extinguishing media	MEASURES         : not applicable         d precautions for firefighters         : Flood with large volumes of water.         : ABC powder         Dry powder         Risk of violent reaction.		astric lavage.
ECTION 5. FIRE-FIGHTING M Flammable properties Flash point Protective equipment and Suitable extinguishing media Unsuitable extinguishing media Hazardous decomposition products	MEASURES         : not applicable         d precautions for firefighters         : Flood with large volumes of water.         : ABC powder         Dry powder         Risk of violent reaction.         : Chlorine containing gases can be produced	ed.	

MSDS Number: PROG\_4500273



## SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	:	Using appropriate protective clothing and safety equipment, contain spilled material. Do not add water to spilled material. Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry containers for disposal. Do not close containers containing wet or damp material. They should be left open to disperse any hazardous gases that may form.
Additional advice	:	Do not use floor sweeping compounds to clean up spills. Do not transport wet or damp material. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment. Treat recovered material as described in the section "Disposal considerations".

## SECTION 7. HANDLING AND STORAGE

Handling		
Advice on safe handling	<ul> <li>Strong oxidizing agent. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Avoid breathing vapors. Do not mix with other chemicals. Mix only with water.</li> </ul>	
MSDS Number: PROG_4500273		4 of 10

		Version:	1.0
	<b>ProGuard ® 3 inch Tablets</b>	Revision Date:	02/20/2008
		Print Date:	09/17/2009
	Never add water to this product. Always add product to large quantities Use only clean and dry utensils. Do not add this product to any dispen other product. Such use may cause a explosion. Contamination with moisture, organic chemical reaction and generate heat, explosion. In case of contamination or decompos If possible, isolate container in open a Flood with large volumes of water. Wash hands thoroughly with soap and drinking or using tobacco. Do not handle until all safety precaution	sing devices containir a violent reaction lead matter or other chem hazardous gas, poss sition, do not reseal co ir or well ventilated ar d water after handling	ing to fire or icals may start a ible fire and ontainer. rea. and before eating
Storage			
Requirements for storage areas and containers	<ul> <li>Store in original container.</li> <li>Temperature not to exceed 52 C (125 Store in a cool, dry, well ventilated are Keep out of reach of children.</li> </ul>		open flame.
ECTION 8. EXPOSURE CO	Keep away from animals.		
ECTION 8. EXPOSURE CO Engineering measures Engineering measures	Keep away from animals.	y showers are close t	o the workstation
Engineering measures	Keep away from animals.  NTROLS / PERSONAL PROTECTION  Ensure that eyewash stations and safet location.	y showers are close t	o the workstation
Engineering measures	Keep away from animals.  NTROLS / PERSONAL PROTECTION  Ensure that eyewash stations and safet location. Use with adequate ventilation.	y showers are close t	o the workstation
Engineering measures	Keep away from animals.  NTROLS / PERSONAL PROTECTION  Ensure that eyewash stations and safet location. Use with adequate ventilation.	y showers are close t	o the workstation
Engineering measures Engineering measures Personal protective equ	Keep away from animals.  NTROLS / PERSONAL PROTECTION  Ensure that eyewash stations and safet location. Use with adequate ventilation.	y showers are close t	o the workstation
Engineering measures Engineering measures Personal protective equ Eye protection	Keep away from animals.          NTROLS / PERSONAL PROTECTION         : Ensure that eyewash stations and safet location.         Use with adequate ventilation.         ipment         : Safety glasses with side-shields	eets OSHA 1910.134	and ANSI Z88.2

			Version:	1.0
	Pro	Guard <sup>®</sup> 3 inch Tablets	Revision Date:	02/20/2008
	1.0		Print Date:	09/17/2009
			I	1
CTION 9. PHYSICAL AND CH	IEMIC			
TION U. THI GIOAL AND OF				
<u>Appearance</u>				
Form	:	tablet		
Colour	:	white		
Odour	:	Chlorine		
Safety data				
Flash point	:	not applicable		
рН	:	3 - 3.5		
		at 77 °F (25 °C)		
		1% Solution		
Melting point/range	:	437 - 446 °F (225 - 230 °C) Decomposes		
Boiling point/boiling range	:	not applicable		
Vapour pressure		Not Available		
	·			
Density	:	0.88 - 0.96 g/cm3		
Water solubility	:	1 - 1.2 g/l at 77 °F (25 °C)		
Relative vapour density	:	Not Available		
TION 10. STABILITY AND R	REACT	IVITY		
Conditions to avoid	:	High temperatures.		
		Poor ventilation. Contamination		
		Moisture/high humidity.		
Materials to avoid	:	Avoid contact with water on concen	itrated material in the co	ntainer. Avoid
	•	contact with easily oxidizable mater	rial; ammonia, urea, or si	imilar nitrogen
		containing compounds; inorganic re compounds; calcium hypochlorite; c		

:	High temperatures. Poor ventilation. Contamination Moisture/high humidity.
:	Avoid contact with water on concentrated material in the container. Avoid contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite; other swimming pool/spa chemicals in their concentrated form; alkalis. Avoid contact with all other chemicals.
:	<u>Type:</u> <u>Hazardous decomposition products</u> Chlorine containing gases can be produced.
:	225 - 230 °C (437 - 446 °F)
:	Hazardous polymerisation does not occur.
	: : :

		Version:	1.0
	<b>ProGuard ®</b> 3 inch Tablets	Revision Date:	02/20/2008
		Print Date:	09/17/2009
TION 11. TOXICOLOGICAL	INFORMATION		
Acute oral toxicity	: LD50 rat Dose: 809 mg/kg		
Acute dermal toxicity	: rabbit Dose: > 2,000 mg/kg		
Acute inhalation toxicity	<ul> <li>This material in the form as sold is not expected If ground or otherwise in a powdered form, effect occur.</li> </ul>	ets similar to a corrosive subs	stance may
	May cause severe irritation of the respiratory tra burns of the mucous membranes.	ict with coughing, choking, pa	ain and possibly
Skin irritation	: Direct contact with wet material or moist skin ma burns.	ay cause severe irritation, pai	in and possibly
Eye irritation	: Causes severe eye damage.		
TION 12. ECOLOGICAL INF	ORMATION		
TION 12. ECOLOGICAL INF	: Toxic to fish. Toxic to aquatic organisms. Do not discharge effluent containing this produc estuaries, oceans, or other waters unless in acc of a National Pollutant Discharge Elimination Sy permitting authority has been notified in writing p	ordance with the requiremen rstem (NPDES) permit and th prior to discharge. Do not	its ne
	: Toxic to fish. Toxic to aquatic organisms. Do not discharge effluent containing this produc estuaries, oceans, or other waters unless in acc of a National Pollutant Discharge Elimination Sy	ordance with the requiremen stem (NPDES) permit and th prior to discharge. Do not ver systems without previousl rity. For guidance contact yo	ts ie ly
Additional ecological information	: Toxic to fish. Toxic to aquatic organisms. Do not discharge effluent containing this produc estuaries, oceans, or other waters unless in acc of a National Pollutant Discharge Elimination Sy permitting authority has been notified in writing p discharge effluent containing this product to sew notifying the local sewage treatment plant autho State Water Board or Regional Office of the EP/	ordance with the requiremen stem (NPDES) permit and th prior to discharge. Do not ver systems without previousl rity. For guidance contact yo	ts ie ly
Additional ecological information <b>Component:</b> Trichloro-s-triazinetrione	<ul> <li>Toxic to fish.</li> <li>Toxic to aquatic organisms.</li> <li>Do not discharge effluent containing this produce estuaries, oceans, or other waters unless in accof a National Pollutant Discharge Elimination Sy permitting authority has been notified in writing product to sew notifying the local sewage treatment plant author</li> </ul>	ordance with the requiremen stem (NPDES) permit and th prior to discharge. Do not ver systems without previousl rity. For guidance contact yo	ts ie ly
Additional ecological information <u> Component</u> : Trichloro-s-triazinetrione	<ul> <li>Toxic to fish. Toxic to aquatic organisms. Do not discharge effluent containing this product estuaries, oceans, or other waters unless in acc of a National Pollutant Discharge Elimination Sy permitting authority has been notified in writing p discharge effluent containing this product to sew notifying the local sewage treatment plant authon State Water Board or Regional Office of the EP/ <u>Toxicity to fish:</u> LC50 Species: Oncorhynchus mykiss (rainbow trout) Dose: 0.24 mg/l</li> </ul>	ordance with the requiremen (NPDES) permit and th prior to discharge. Do not ver systems without previousl rity. For guidance contact yo A.	ts ie ly
Additional ecological information <u> Component</u> : Trichloro-s-triazinetrione	<ul> <li>Toxic to fish. Toxic to aquatic organisms. Do not discharge effluent containing this produce estuaries, oceans, or other waters unless in acc of a National Pollutant Discharge Elimination Sy permitting authority has been notified in writing p discharge effluent containing this product to sew notifying the local sewage treatment plant authoo State Water Board or Regional Office of the EP/ <u>Toxicity to fish:</u> LC50 Species: Oncorhynchus mykiss (rainbow trout) Dose: 0.24 mg/l Exposure time: 96 h</li> <li><u>Toxicity to daphnia and other aquatic invertebrat</u> LC50 Species: Daphnia magna (Water flea) Dose: 0.21 mg/l</li> </ul>	ordance with the requiremen (NPDES) permit and th prior to discharge. Do not ver systems without previousl rity. For guidance contact yo A.	ts ie ly
	<ul> <li>Toxic to fish. Toxic to aquatic organisms. Do not discharge effluent containing this produce estuaries, oceans, or other waters unless in acc of a National Pollutant Discharge Elimination Sy permitting authority has been notified in writing p discharge effluent containing this product to sew notifying the local sewage treatment plant autho State Water Board or Regional Office of the EP/ <u>Toxicity to fish:</u> LC50 Species: Oncorhynchus mykiss (rainbow trout) Dose: 0.24 mg/l Exposure time: 96 h</li> <li><u>Toxicity to daphnia and other aquatic invertebrat LC50</u> Species: Daphnia magna (Water flea) Dose: 0.21 mg/l Exposure time: 48 h</li> </ul>	ordance with the requiremen (NPDES) permit and th prior to discharge. Do not ver systems without previousl rity. For guidance contact yo A.	ts ie ly

			Version:	1.0
	ProG	uard <sup>®</sup> 3 inch Tablets	Revision Date:	02/20/2008
			Print Date:	09/17/2009
•TION 13	DISPOSAL CONSIDERATI	ONS		
Further in		Dispose of waste material in compl		
		regulations. If these wastes cannot be disposed contact your Environmental Contro Representative at the nearest EPA registered pesticides, contact your Do not contaminate ponds, waterw container. Do not put product, spilled product, the trash or waste compactor. Contact with incompatible materials Improper disposal of excess product Federal Law.	I Agency or the Hazard Regional Office for gu State Pesticide Agenc ays or ditches with che , or filled or partially fill s could cause a reaction	dous Waste iidance. For y. emical or used ed containers into on or fire.
		Rinse thoroughly before discarding	in trash.	
<u>TION 14.</u>	TRANSPORT INFORMATIO	<u>DN</u>		
<u>TION 14.</u> <u>DOT</u>	TRANSPORT INFORMATIC UN-Number Proper shipping name Class Packing group	: 2468	l, dry	
	UN-Number Proper shipping name Class	<ul> <li>2468</li> <li>Trichloroisocyanuric acid</li> <li>5.1</li> <li>II</li> <li>2468</li> </ul>		
<u>DOT</u>	UN-Number Proper shipping name Class Packing group UN-Number Proper shipping name Class Packing group UN-Number	<ul> <li>2468</li> <li>Trichloroisocyanuric acid</li> <li>5.1</li> <li>II</li> <li>2468</li> <li>Trichloroisocyanuric acid</li> <li>5.1</li> </ul>	l, dry	
DOT IATA IMDG Not reco Limited	UN-Number Proper shipping name Class Packing group UN-Number Proper shipping name Class Packing group UN-Number Proper shipping name Class	<ul> <li>2468</li> <li>Trichloroisocyanuric acid</li> <li>5.1</li> <li>II</li> <li>2468</li> <li>Trichloroisocyanuric acid</li> <li>5.1</li> <li>II</li> <li>2468</li> <li>TRICHLOROISOCYAN</li> <li>5.1</li> <li>II</li> <li>air</li> <li>ble</li> </ul>	l, dry	

			Versio		1.0
		ProGuard ® 3 inch Tablets	Print D	on Date:	02/20/2008
				ale.	09/17/2009
ION 15. REGULATORY	INFO	RMATION			
lational regulatory infor	matio	<u>on</u>			
OSHA Hazards	:	This material is hazardous under t		Federal O	SHA Hazard
		Communication Standard 29CFR 1	910.1200.		
SARA Hazard category	:	Acute Health Hazard			
		Reactivity Hazard			
<u>JS State Regulations</u> JS MA RTK		US. The Commonwealth of Mass	achusetts Departm	nent of Put	lic Health
(Component)		Massachusetts Right-to-know law 105 CMR 670.000			
		Massachusetts hazardous subst	ance		
		Trichloro-s-triazinetrione	87-90-1	> 99	0/
			87-90-1		/0
<b>JS NJ RTK</b> Component)	:	US. New Jersey Department of En Hazardous Substances New Jerse			
		Substance List [P.L. 1983, C. 315	, NJSA 34:5A-1 et	seq]	
		hazardous substance			
		Trichloro-s-triazinetrione	87-90-1	> 99	%
JS PA RTK	:	US. Commonwealth of Pennsylva	nia - Department	of Labor ar	nd Industry:
Component)		Pennsylvania Code Title 34, Labo			
		hazardous substance			
		Trichloro-s-triazinetrione	87-90-1	> 99	%
S Number: PROG_4500	273				
	210			9 of 10	

		Version:	1.0
	ProGuard ® 3 inch Tablets	Revision Date:	02/20/2008
		Print Date:	09/17/2009
TSCA	roduct are reported in the following inven gicide, Rodenticide Act): This product is a req		
SECTION 16. OTHER INFORM	ATION		
Further information			
NFPA Classification	: Health Hazard: 3 Fire Hazard: 0 Reactivity Hazard: 1 Specific hazards: OX Class 1 Oxidizer.	0 3 OX	1
HMIS Classification	: Health Hazard: 3 Flammability: 0 Reactivity: 1 PPI:Ask supervisor or safety specia	list for handling instruct	ions
publication. The information given is o release and is not to be considered a v may not be valid for such material use	y Data Sheet is correct to the best of our knowledge designed only as a guidance for safe handling, use, warranty or quality specification. The information re of in combination with any other materials or in any ons and the conditions of use of this product are not of safe use of the products.	processing, storage, transp lates only to the specific ma process, unless specified in	oortation, disposal and aterial designated and n the text. Since the use
MSDS Number: PROG_45002	73	10 of 10	1